

Optimizing Healthcare Delivery and Patient Experience: A Comprehensive Framework of Sentiment Analytics, Workforce Efficiency, and Wait Time Reduction

Md Sakib Mia ¹

¹ Graduate and Professional Studies, Trine University, Angola, Indiana, United States

Email: sakib.28shourav@gmail.com

ARTICLE INFO

Keywords:


Sentiment Analytics,
Healthcare Delivery,
Patient Experience,
Workforce Efficiency,
Patient Flow.

Vol.01, No.04, 2026

<https://doi.org/10.5281/zenodo.22806553>

Copyright © 2026 by author(s) and Scientific Research Publishing Inc. This work is licensed under the Creative Commons Attribution International License (CCBY4.0).

<http://creativecommons.org/licenses/by/4.0/>



ABSTRACT

Optimizing healthcare delivery requires a holistic approach to patient experience, workforce efficiency, operational capacity, and wait times. This study suggests a holistic framework on the basis of sentiment analytics, patient journey mapping, workforce management, predictive analytics, and real-time operational monitoring that can assist patient-centered healthcare improvement. This framework links qualitative patient feedback with quantitative measures such as registration time, triage processes, appointment scheduling, staffing, patient flow, service use, and more. The integration can help healthcare organizations detect workflow bottlenecks, uncover patient dissatisfaction points, predict patient needs, optimize resource utilization, and prioritize interventions. These include components of team-based care, patient engagement, key performance indicators, continuous improvement, and data-driven governance, which are integrated to drive sustainable performance improvement in a variety of healthcare environments. The framework also highlights the importance of interoperability, data quality, privacy, security, and transparent governance, as their lack of interoperability, biased datasets, lack of skills among the workforce, and inconsistent evaluation standards can reduce the reliability of analyses and generalisability. Their effectiveness is dependent on proper validation, standardized metrics, representative datasets, and contextual assessment, however. The framework offers a framework to tie patient experiences to operational realities and to turn the analytical results into actionable improvements. Combining technological capabilities with organizational processes, workforce planning, and ongoing evaluation allows healthcare systems to strive for shorter wait times, more efficient use of resources, better patient engagement, and more responsive, efficient, and patient-centered care.

Introduction

An integrated understanding of the organisation, how resources are allocated, the coordination of care, and the patient's experience of the delivery process is essential to optimise healthcare delivery and patient experience. The framework proposes a broad solution to the analysis and enhancement of healthcare provision in hospitals, clinics, public health institutions, and other institutions taking care of patients [1]. It brings together the capacity, the structure, the efficiency of the workforce, team-based care, engagement with the patient, sentiment analytics, and operational performance to facilitate data-driven decision-making. The goal is to maintain an optimal balance between clinical performance, patient satisfaction, and operational efficiency in an ever-changing health care environment. Healthcare delivery systems are multifaceted and evolving systems with multiple organizations, professionals, technologies, and stakeholders involved [2]. Fragmentation and integration can occur simultaneously as healthcare systems broaden their scope and integrate public health services, community-based organizations, digital health services, and other partners. A consistent and structured description of these environments is therefore necessary, and understanding the impact of the differences in their organizational characteristics on performance and patient outcomes [3]. This is also a way to make research results more interpretable and transferable to other hospitals, clinics, geographical areas, ownership, and service set-ups. This link between patient attitude and performance enables healthcare

companies to transcend mere dissatisfaction measurement and uncover root causes. Patient waiting time, for example, could be compared to workload, appointment booking, patient flow, triage and treatment capacity, for instance, in relation to negative sentiment [4]. These analyses can determine if dissatisfaction is linked to communication problems, lack of information, slow momentum of the diagnostic process, inadequate staffing, or ineffective care coordination. These findings can then be used to create more specific interventions than a general patient satisfaction index. Another key element is workforce efficiency, as the availability, distribution, and use of the health care workforce is a critical factor that affects health care performance [5]. Operational efficiency and patient experience are influenced by staffing levels, workload distribution, skill mix, scheduling/coordination with other disciplines, etc. Staffing capacity can be matched with expected demand and periods of excessive workload can be identified, underutilisation can be minimised, and continuity of care can be enhanced with the use of intelligent scheduling and workforce analytics. By combining workforce information with patient flow and sentiment data, it is possible to identify whether operational challenges are due to inadequate capacity, a lack of effective resource allocation, workflow design or coordination issues [6]. The framework provides a unifying framework to understand healthcare delivery as a multi-dimensional system where organizational capacity, workforce efficiency, operational processes, engagement, and patient experience are mutually interdependent. Sentiment Analytics offers a view of how patients experience the Healthcare System, while Workforce and Operational Analytics are explanations of the conditions within the Healthcare System that give rise to those perceptions [7]. Combined with these perspectives, healthcare providers can pinpoint delays, optimize resource use, cut down on overcrowding, enhance collaborative care, and better address patient needs. It offers a practical way of building healthcare systems that are more efficient, responsive, coordinated and patient-centred through continuous measurement, governance and iterative improvement.

1. Cross-Cutting Elements for Healthcare Delivery and Patient Experience

Cross-cutting elements offer the methodological, analytical, technological, workforce and governance infrastructure that will help to maximize the delivery of health services and the experience of the patient throughout the healthcare journey. These are not just for one clinical pathway or administrative process but also span several touchpoints from scheduling to consultation, treatment, discharge and follow-up [8]. They aim to convert siloed information into actionable insights without compromising the efficiency, responsiveness, safety, and patient-centric nature of healthcare services. One of the key elements is patient journey mapping, which allows healthcare providers to analyze the entire journey that patients undertake (Figure 1). Traditional journey mapping methods are based on surveys, interviews, and observations, while data-driven methods enable patient journeys to be constantly studied using clinical, behavioural, administrative, and operational data [9]. Patterns of patient movement, delays, gaps in care, and service use can be identified with greater accuracy by integrating these sources. Therefore, a journey map can uncover where patients might be facing unnecessary complexity, repetition, communication issues, or delays and can inform interventions grounded in observed patient actions, not those they assume. Real-time engagement takes this one step further and enables healthcare systems to react in real time when problems occur. Digital platforms can detect red flags such as when patients have trouble scheduling, registering, coordinating finances, navigating, or more to ensure that a patient gets the care they need [10]. Personalized interventions can then be put into place, such as automated notifications, chatbot support, appointment assistance, or a direct connection to the right personnel. This proactive method is especially useful because it can identify a lot of patient experience issues before they even reach the point where the patient has left an appointment or finished a poor patient experience. Real-time engagement puts patient experience and patient monitoring into action. Cross-cutting analytics also can help with continuous improvement by

establishing loops between measurement and intervention [11]. Patient experience data can be used to find a problem, operational data can be used to identify the cause of a problem, an intervention can be implemented, and patient and performance data can be used to evaluate the effectiveness (Table 1). This is an ongoing process that turns analytics into a system for continuous improvement. The use of continuous refinement for sentiment models is crucial, as healthcare language is very nuanced, with the possibility of using clinical terms, abbreviations, emotional expressions, and culturally specific language that can impact analysis [12]. In general, the cross-cutting elements set the connecting surface of the healthcare optimization framework. Journey mapping allows you to pinpoint where patients are within the system; real-time engagement allows you to intervene when and where needed; structured data practices put in place provide a solid foundation for analysis; workforce design helps to maximize professional capacity; dashboards help to give a steady view of performance, and governance ensures privacy, security, and accountability [13]. Sentiment analytics and workflow/operational measures bring an added patient-centred dimension to how a healthcare system measures what it has and what patients actually have been able to experience. These are all interconnected and help to create a continuous cycle of measurement, interpretation, intervention, and evaluation that reduces friction, enhances efficiency, increases patient engagement, and provides better quality care.




Figure 1. Strategies to Improve the Patient Experience in Healthcare [41]

Table 1. Core Components of the Healthcare Optimization Framework

Component	Key focus	Application in healthcare delivery	Reference
Healthcare capacity	Infrastructure, workforce, services, and resource availability	Determines the ability of healthcare organizations to meet changing patient demand	[1], [20]
Organizational structure	Leadership, governance, communication, and resource coordination	Supports efficient movement of patients, information, and resources across care settings	[2], [23]
Sentiment analytics	Patient comments, surveys, complaints, and other unstructured feedback	Identifies dissatisfaction, communication problems, perceived safety concerns, and workflow friction	[7], [21], [24]

Patient journey mapping	Analysis of scheduling, registration, triage, treatment, discharge, and follow up	Identifies delays, redundant processes, navigation problems, and care gaps across the patient journey	[8], [26]
Patient engagement	Patient participation and patient reported information	Strengthens patient centered decision making and evaluates whether service changes improve experience	[27]

2. Operationalization, Implementation, Governance, and Evaluation

To successfully implement healthcare analytics, understanding the data-driven insights and putting them into practice with staffing, scheduling, patient flow, and care delivery processes. These modern analytics platforms can consolidate data from electronic health records, registration systems, appointment platforms, and more, eliminating data silos and offering real-time insights into healthcare operations [14]. The goal is to shift from reporting in the past to real-time or near-real-time intelligence to aid in day-to-day decision-making as well as in longer-term workforce and service planning. A key concept is the transformation of raw data into smart data that can be applied. Once trends and benchmarks have been identified and data reveal operational issues, these can be turned into action, for example, a change in staff allocation, a change in appointment length, a change in room turnover processes. Context-rich dashboards can give healthcare leaders a clue as to where they are slowing, who is being impacted, and which issues need to be addressed [15]. This way, analytics can be used as an operational control system and not just a reporting system. This is enhanced by predictive analytics and machine learning, which enable healthcare providers to proactively meet demand without facing operational issues. Accurate predictions of patient numbers, peak times, and resources can be used to make advance staffing decisions, optimise resources, plan for contingencies, and enable flexible scheduling (Figure 2) [16]. When forecasts are used effectively in decision-making, these strategies can help reduce delays and continuity of care issues. AI-powered tools can also help healthcare professionals and managers make sense of analytical results and put recommendations into action in real-world scenarios. Long-term improvement needs to be orchestrated, governed and assessed on an ongoing basis. PIRs allow for assessment of interventions that were successful, unsuccessful, and why certain outcomes were seen [17]. The lessons learned from these reviews can be used as input for future improvement cycles. Coordinated dissemination of analytical results within departments and supportive implementation within coordinated digital environments, role-based access, and communication systems can be achieved on time. Patient satisfaction should therefore be taken into account as a balance indicator for evaluation and not used as the only indicator of success [18]. In addition, instead of looking at results at the provider level, care teams and system-level processes should be assessed. This comprehensive assessment can be enhanced by healthcare analytics, which can incorporate intricate clinical, operational, workforce, and patient-experience information. This would be more aligned with the goals of patient-centred healthcare and a healthy workforce. Incorporating unstructured data and sophisticated analytics can enhance outcome evaluation by offering more comprehensive details concerning patient experiences and healthcare processes [19]. The analysis of such data, however, becomes more complex and has added demands for validity, reliability, and generalizability of the findings, the richer the data. Optimal delivery of health services, therefore, is not only dependent on the availability of advanced technologies, but also on the proper use, oversight, standardisation of the measurement, continuous monitoring and careful interpretation of the evidence.




Figure 2. Enhancing Patient Experience for Improved Healthcare [42]

3. Discussion

The proposed framework for optimizing healthcare delivery and patient experience illustrates that optimized healthcare performance can only be achieved through a combination of interventions. These factors of patient experience, workforce efficiency, capacity, waiting time, organization, data analytics, and governance are closely related [20]. The framework thus characterizes the healthcare delivery system as a multi-dimensional system that interacts with each other continuously between clinical and administrative processes. Sentiment analytics, in tandem with operational and workforce data, can take healthcare organisations beyond traditional performance reporting and create a more holistic view of how patients perceive care and how the processes of the organization influence patient care [21]. One key aspect of the framework is that healthcare capacity and the organizational structure are the building blocks for effective service delivery. Healthcare organizations can meet patient demand with their physical infrastructure, staff, service offerings, leadership, governance, communication, and resources. Capacity is not just the number of beds/rooms or health professionals available [22]. It also provides for coordination of resources with efficiency and flexibility to meet the evolving demand. Likewise, organizational structure has an impact on the flow of information, patients, and resources in the system. However, if coordination and/or authority is weak, delays can still occur if resources are technically available. This implies the need for a multi-faceted approach to enhance healthcare performance, which involves both structural capacity and processes of managing capacity [23]. Sentiment analytics is a key addition to conventional healthcare performance measurement. Traditional measures like waiting time, patient numbers, staff ratios, and service use are operational measures that reflect what is occurring but do not necessarily explain how patients experience these events. Sentiment analysis offers a complementary viewpoint by analyzing patient comments, surveys, complaints, reviews, and other unstructured feedback [24]. These data, when combined with operational indicators, can be interpreted as related to particular healthcare processes. This presents a chance to determine if there is a correlation between long waiting lines, registration difficulties, communication breakdown, staff responsiveness, perceived safety, or other aspects of workflow and dissatisfaction [25]. Patient experience is not a one-off thing. It is developed throughout the process of scheduling, registration, triage, consultation, diagnosis, treatment, discharge, and follow-up. Journey mapping enables these stages to be explored as a series of stages, instead of as isolated activities. Data-driven journey mapping can help identify any

backlogs, redundant processes, miscommunication, or service navigation challenges that patients may face [26]. By adding sentiment data to these maps, organizations can not only determine where issues are happening but also the severity of the issue to patient sentiment. Healthcare workers need to work with each other across disciplines and specialties, especially for patients who have complex or chronic health and care needs [27]. There is a potential to achieve some fragmentation and continuity between services through effective coordination. Patient engagement is also essential as it is the patient and his/her family that will be directly impacted by the decisions involving health care. Combining patient-reported data with operational data can then be used to help organisations determine if the service changes are having an impact on the experience of care. The key to operationalization is the action [28]. The action is the key to operationalization, as data alone will not enhance healthcare. Actionable intelligence in the form of decisions must be generated by analytical systems. If a dashboard connects to a growing queue, such as, for example, reallocating staff, changing the length of appointments, changing room utilisation, or changing patient sequencing, it may be the appropriate response [29]. Likewise, if there is ongoing negative sentiment around a specific process, that should be investigated, and process redesign should be considered. This creates a cycle in which data help pinpoint the problem, analytics then can be used to explain the problem, an intervention is taken, and further data will be gathered to see if the intervention worked. Real-time analytics and predictive technologies enhance this feedback loop. While real-time and predictive systems can help when operational issues start to arise, retrospective reports can provide information about what has already occurred. Predicting traffic to care centres provides staff and resources to adjust accordingly [30]. Scenario simulation is a tool that can be used to assess alternative staffing and scheduling options. Real-time dashboards can alert you to potential bottlenecks, and automated scheduling systems can adjust to fluctuating demand. The ability to adapt these features is especially important in the context of a high variability setting where the number of patients and the resource usage are subject to significant fluctuations, such as an emergency department [31]. Interoperability is fundamental to the technological basis of this approach. Healthcare information can be found in electronic health records, registration systems, appointment systems, laboratory systems, workforce databases, patient feedback systems, and financial systems. In the absence of good communication, valuable information gets lost in these systems [32]. These silos can be mitigated, and a more comprehensive operational view can be achieved through the use of integrated platforms and suitable data exchange systems. Technological integration thus necessitates the support of organizational and regulatory frameworks that outline the processes of data collection, sharing, analysis and data protection. Sentiment analytics offers a view of the patient perspective, and operational and workforce analytics offer one of the organizational conditions that may have created it [33]. Patient-generated data may also have selection bias, as patients who use digital platforms and those who willingly provide feedback may be different from those who do not. If the training data are not sufficiently representative, algorithmic models can exhibit these biases. In sentiment analysis, these issues are especially relevant since the way the language is expressed, the context, the medical jargon, and the personal communication style of the individual can affect the results of the analysis [34]. Hence, continuous validation, representative datasets, transparent reporting, and appropriate governance are necessary. The framework as a whole defines optimization of healthcare as a continuous cycle of patient experience, operational measurement, management of healthcare workforce, analysis, intervention, and evaluation. Bias and data quality are major shortcomings of the framework. Incompleteness of records, inconsistencies in coding, changes in technical systems, missing data, and variability in data collection practices can all impact healthcare analytics [35]. Journey mapping can then link these views together throughout the care journey, and real-time analytics means areas of concern can be resolved quicker. These technologies

can only be successful when they are governed, interoperable, have quality data, and are supported by methodological rigor.

4. Challenges, Limitations, and Future Directions

Several infrastructure, methodological, organizational, and technical challenges limit the optimization of healthcare delivery through sentiment analytics and other related areas such as workforce analytics, patient flow management, and integrated data systems. While clinical, operational, and patient-generated data are generated at large volumes across healthcare organizations, these data sources may not be able to be combined effectively [36]. The findings of the analytical process may be limited in reliability and generalizability due to fragmented information systems, inadequate infrastructure, workforce skills, inconsistent data quality, and methodological challenges. The resolution of these challenges will be key to creating healthcare systems that can effectively leverage analytics without compromising on accuracy, transparency, interpretability, and ethical responsibility (Table 2). One of the biggest problems is that healthcare databases and information platforms are not all harmonized. Systems with divergent architectures, data structures, terminology, and processing power may be implemented by different healthcare organizations [37]. This results in the inability to integrate clinical, administrative, patient experience, personnel, and operations information and can present challenges to doing so. This disintegration makes it challenging to get a full picture of the patient experience and can hinder analytics systems from finding links between various parts of service provision. For scalable healthcare analytics, there is thus a need for standardized data structures, interoperable systems, and proper data linkage mechanisms [38]. Another key constraint is human resource limitations. Effectively leveraging integrated analytics requires staff who are familiar with healthcare processes, data management, statistical analysis, machine learning, and analytical technologies. Lack of training opportunities and knowledge about using advanced statistical methods, however, can prevent healthcare professionals and researchers from effectively integrating structured and unstructured information [39]. This problem is especially relevant when sentiment data, EHR data, data from wearables, and operational data are combined. Capacity building and ongoing professional development are therefore needed to ensure that the analytical infrastructure is used appropriately. The key elements of a sustainable approach are interoperable data environments, appropriately trained staff members, standardised measurements, representative datasets, transparency in model evaluation, privacy protection, and continuous validation [40]. Proteus AI can use real-time analytics, predictive modeling, large language models, and advanced scheduling techniques to create more proactive patient flow management and user experience in healthcare systems, while enhancing the reliability and usefulness of data-driven decision-making.

Table 2. Challenges, Analytical Approaches, and Future Directions

Area	Current challenge	Approaches	Reference
Data interoperability	Fragmented healthcare systems and incompatible data structures	Develop standardized data structures, interoperable platforms, and effective data linkage mechanisms	[32], [37], [38]
Workforce capability	Limited training in analytics, statistics, machine learning, and data integration	Provide continuous professional development and multidisciplinary analytical training	[39], [40]
Algorithmic bias	Nonrepresentative training data may produce biased analytical outcomes	Use representative datasets, continuous validation, transparent reporting, and governance	[34], [40]



Waiting time and patient flow	Demand variability and operational bottlenecks can create delays	Apply predictive analytics, real time monitoring, simulation, and dynamic scheduling	[16], [30], [31]
Evaluation	Inconsistent metrics and limited benchmarking reduce comparability	Use standardized performance indicators and comprehensive outcome evaluation	[18], [40]

5. Conclusion

The proposed framework integrates sentiment analytics, workforce efficiency, patient flow management, and data-driven decision-making to improve healthcare delivery and patient experience. Linking patient feedback with operational indicators can identify workflow barriers, reduce waiting times, optimize workforce allocation, and strengthen patient engagement. Real-time analytics and predictive technologies can further support proactive management and continuous improvement. However, interoperability, data quality, bias, privacy, workforce skills, and limited benchmarking remain important challenges. Sustainable implementation therefore requires strong governance, standardized measures, multidisciplinary collaboration, and continuous evaluation. An integrated approach can support more efficient, responsive, equitable, and patient-centered healthcare delivery.

Author Contributions

M.S.M. Conceptualization, literature review, methodology, data interpretation, writing original draft, writing review and editing, and final approval of the manuscript.

References

1. D. H. Parente, M. B. Pinto, and J. C. Barber, "A pre-post comparison of service operational efficiency and patient satisfaction under open access scheduling," *Health Care Manag. Rev.*, vol. 30, no. 3, pp. 220–228, 2005. doi: 10.1097/00004010-200507000-00006.
2. G. W. Boland, R. Duszak, G. McGinty, and B. Allen, "Delivery of appropriateness, quality, safety, efficiency and patient satisfaction," *J. Am. Coll. Radiol.*, vol. 11, no. 1, pp. 7–11, 2014. doi: 10.1016/j.jacr.2013.07.016.
3. D. A. Martinez et al., "Prolonged wait time is associated with increased mortality for Chilean waiting list patients with non-prioritized conditions," *BMC Public Health*, vol. 19, art. no. 233, 2019. doi: 10.1186/s12889-019-6526-6.
4. F. Silva-Aravena, E. Álvarez-Miranda, C. A. Astudillo, L. González-Martínez, and J. G. Ledezma, "Patients' prioritization on surgical waiting lists: A decision support system," *Mathematics*, vol. 9, no. 10, art. no. 1097, 2021. doi: 10.3390/math9101097.
5. F. Silva-Aravena, J. H. Gutiérrez-Bahamondes, H. Núñez Delafuente, and R. M. Toledo-Molina, "An intelligent system for patients' well-being: A multi-criteria decision-making approach," *Mathematics*, vol. 10, no. 21, art. no. 3956, 2022. doi: 10.3390/math10213956.
6. M. Godley and J. B. Jenkins, "Decreasing wait times and increasing patient satisfaction: A lean six sigma approach," *J. Nurs. Care Qual.*, vol. 34, no. 1, pp. 61–65, 2019. doi: 10.1097/NCQ.0000000000000332.
7. M. Toma and O. C. Wei, "Predictive modeling in medicine," *Encyclopedia*, vol. 3, no. 2, pp. 590–601, 2023. doi: 10.3390/encyclopedia3020042.
8. C. S. Nwaimo, A. E. Adegbola, and M. D. Adegbola, "Transforming healthcare with data analytics: Predictive models for patient outcomes," *GSC Biol. Pharm. Sci.*, vol. 27, no. 3, pp. 25–35, 2024. doi: 10.30574/gscbps.2024.27.3.0190.
9. A. T. Shama and A. Biswas, "Cloud Misconfiguration as a Governance Failure in AI-Enabled Healthcare and Finance with Privacy Risk Implications," *International Journal on Economics, Finance and Sustainable Development*, vol. 5, no. 1, pp. 208–214, 2023. doi: 10.31149/ijefsd.v5i1.5799.
10. W. A. AlBakary, A. A. H. Sedky, and W. Abdelmoez, "Interactive bottleneck detection in data driven business process simulation in healthcare: Egyptian case study," in *Proc. 32nd Int. Conf.*

Comput. Theory Appl. (ICCTA), Alexandria, Egypt, 2022, pp. 234–240. doi: 10.1109/ICCTA58027.2022.10206105.

11. S. Varanasi and K. Malathi, "Self-improved COOT optimization-based LSTM for patient waiting time prediction," *Multimed. Tools Appl.*, vol. 83, pp. 39315–39333, 2024. doi: 10.1007/s11042-023-17045-7.

12. A. Pak, B. Gannon, and A. Staib, "Predicting waiting time to treatment for emergency department patients," *Int. J. Med. Inform.*, vol. 145, art. no. 104303, 2021. doi: 10.1016/j.ijmedinf.2020.104303.

13. Y. H. Kuo et al., "An integrated approach of machine learning and systems thinking for waiting time prediction in an emergency department," *Int. J. Med. Inform.*, vol. 139, art. no. 104143, 2020. doi: 10.1016/j.ijmedinf.2020.104143.

14. S. Srinivas, "A machine learning-based approach for predicting patient punctuality in ambulatory care centers," *Int. J. Environ. Res. Public Health*, vol. 17, no. 10, art. no. 3703, 2020. doi: 10.3390/ijerph17103703.

15. M. Yousefi, M. Yousefi, M. Fathi, and F. S. Fogliatto, "Patient visit forecasting in an emergency department using a deep neural network approach," *Kybernetes*, vol. 49, no. 10, pp. 2335–2348, 2020. doi: 10.1108/K-10-2018-0520.

16. M. J. I. Ridoy, "Predicting supply chain resilience with machine learning: A comparative analysis of ensemble and neural approaches across logistics, manufacturing, healthcare, and agriculture," *J. Primeasia*, vol. 3, no. 1, pp. 1–13, 2022, doi: 10.25163/primeasia.3110776.

17. H. Zhang, T. J. Best, A. Chivu, and D. O. Meltzer, "Simulation-based optimization to improve hospital patient assignment to physicians and clinical units," *Health Care Manag. Sci.*, vol. 23, no. 1, pp. 117–141, 2020. doi: 10.1007/s10729-019-09483-3.

18. M. Tavakoli, R. Tavakkoli-Moghaddam, R. Mesbahi, M. Ghanavati-Nejad, and A. Tajally, "Simulation of the COVID-19 patient flow and investigation of the future patient arrival using a time-series prediction model: A real-case study," *Med. Biol. Eng. Comput.*, vol. 60, no. 4, pp. 969–990, 2022. doi: 10.1007/s11517-022-02525-z.

19. O. S. Pinykh et al., "Improving healthcare operations management with machine learning," *Nat. Mach. Intell.*, vol. 2, no. 5, pp. 266–273, 2020. doi: 10.1038/s42256-020-0176-3.

20. M. Amissah and S. Lahiri, "Modelling granular process flow information to reduce bottlenecks in the emergency department," *Healthcare*, vol. 10, no. 5, art. no. 942, 2022. doi: 10.3390/healthcare10050942.

21. M. R. Hur and Al Akhir, "Transforming healthcare quality through patient sentiment analytics: A data-driven framework for patient-centered quality improvement," *CAJMNS*, vol. 7, no. 2, pp. 677–686, Apr. 2026. [Online]. Available: <https://cajmns.casjournal.org/index.php/CAJMNS/article/view/3346>.

22. K. A. Safdar, A. Emrouznejad, and P. K. Dey, "An optimized queue management system to improve patient flow in the absence of appointment system," *Int. J. Health Care Qual. Assur.*, vol. 33, no. 6, pp. 477–494, 2020. doi: 10.1108/IJHCQA-03-2020-0052.

23. J. P. Ansah et al., "Modeling Emergency Department crowding: Restoring the balance between demand for and supply of emergency medicine," *PLoS ONE*, vol. 16, no. 1, art. no. e0244097, 2021. doi: 10.1371/journal.pone.0244097.

24. G. Lamé and M. Dixon-Woods, "Using clinical simulation to study how to improve quality and safety in healthcare," *BMJ Simul. Technol. Enhanc. Learn.*, vol. 6, no. 2, p. 87, 2020. doi: 10.1136/bmjstel-2018-000370.

25. M. Ordu, E. Demir, C. Tofallis, and M. M. Gunal, "A novel healthcare resource allocation decision support tool: A forecasting-simulation-optimization approach," *J. Oper. Res. Soc.*, vol. 72, no. 3, pp. 485–500, 2021. doi: 10.1080/01605682.2019.1700186.

26. S. Jahangiri, M. Abolghasemian, P. Ghasemi, and A. P. Chobar, "Simulation-based optimisation: Analysis of the emergency department resources under COVID-19 conditions," *Int. J. Ind. Syst. Eng.*, vol. 43, no. 1, pp. 1–19, 2023. doi: 10.1504/IJISE.2023.128399.

27. S. Faeghi, K. Lennerts, and S. Nickel, "A system dynamics model application to operating room planning and management," *J. Simul.*, vol. 17, no. 1, pp. 58–75, 2023. doi: 10.1080/17477778.2021.1932622.
28. M. R. Hur, "Intelligent scheduling systems and healthcare workforce efficiency: A survey-based study of 155 U.S. healthcare professionals," *Business and Social Sciences*, vol. 2, no. 1, pp. 1–9, 2024, Art. no. 10874. doi: 10.25163/business.2110874.
29. F. Manzoor, L. Wei, A. Hussain, M. Asif, and S. I. A. Shah, "Patient satisfaction with health care services; An application of physician's behavior as a moderator," *Int. J. Environ. Res. Public Health*, vol. 16, no. 18, art. no. 3318, 2019. doi: 10.3390/ijerph16183318.
30. A. Abidova, P. Alcântara da Silva, and S. Moreira, "Predictors of patient satisfaction and the perceived quality of healthcare in an emergency department in Portugal," *West. J. Emerg. Med. Integr. Emerg. Care Popul. Health*, vol. 21, no. 2, p. 391, 2020. doi: 10.5811/westjem.2019.9.44667.
31. J. D. Sonis, E. L. Aaronson, R. Y. Lee, L. L. Philpotts, and B. A. White, "Emergency department patient experience: A systematic review of the literature," *J. Patient Exp.*, vol. 5, no. 2, pp. 101–106, 2018. doi: 10.1177/2374373517731359.
32. S. De Simone, A. Planta, and G. Cicotto, "The role of job satisfaction, work engagement, self-efficacy and agentic capacities on nurses' turnover intention and patient satisfaction," *Appl. Nurs. Res.*, vol. 39, pp. 130–140, 2018. doi: 10.1016/j.apnr.2017.11.004.
33. A. Ala, F. E. Alsaadi, M. Ahmadi, and S. Mirjalili, "Optimization of an appointment scheduling problem for healthcare systems based on the quality of fairness service using whale optimization algorithm and NSGA-II," *Sci. Rep.*, vol. 11, art. no. 19816, 2021. doi: 10.1038/s41598-021-98851-7.
34. I. Adhicandra, S. Nurhidayati, and T. R. Fauzan, "Optimization of hospital queue management using priority queue algorithm and reinforcement learning for emergency service prioritization," *Int. J. Softw. Eng. Comput. Sci. (IJSECS)*, vol. 4, no. 2, pp. 512–522, 2024. doi: 10.35870/ijsecs.v4i2.2772.
35. M. S. A. Mazumder and M. R. Hur, "Bridging queueing theory and data-driven analytics to reduce patient wait times: A cross-sectional survey of healthcare users in the United States," *Journal of Primeasia*, vol. 6, no. 1, pp. 1–11, 2025, Art. no. 10837. doi: 10.25163/primeasia.6110837.
36. J. I. Vázquez-Serrano, L. E. Cárdenas-Barrón, J. C. Vicencio-Ortiz, T. Matis, C. M. Gaitán-Mercado, and R. E. Peimbert-García, "Hybrid optimization and discrete-event simulation model to reduce waiting times in a primary health center," *Expert Syst. Appl.*, vol. 238, art. no. 121920, 2024. doi: 10.1016/j.eswa.2023.121920.
37. F. Silva-Aravena, H. N. Delafuente, and C. A. Astudillo, "A novel strategy to classify chronic patients at risk: A hybrid machine learning approach," *Mathematics*, vol. 10, no. 17, art. no. 3053, 2022. doi: 10.3390/math10173053.
38. F. Silva-Aravena and J. Morales, "Dynamic surgical waiting list methodology: A networking approach," *Mathematics*, vol. 10, no. 13, art. no. 2307, 2022. doi: 10.3390/math10132307.
39. M. S. Rahman, S. Islam, and M. J. I. Ridoy, "Perceptions of AI-enabled public health among healthcare professionals: A cross-sectional survey on telemedicine access, disease surveillance, and operational efficiency," *J. AI ML DL*, vol. 2, no. 1, pp. 1–11, 2026, doi: 10.25163/ai.2110797.
40. A. Boonprasope and K. Y. Tipayawong, "Predicting healthcare mutual fund performance using deep learning and linear regression," *Int. J. Financ. Stud.*, vol. 12, no. 1, art. no. 23, 2024. doi: 10.3390/ijfs12010023.
41. M. Malik, S. Abdallah, and M. Ala'raj, "Data mining and predictive analytics applications for the delivery of healthcare services: A systematic literature review," *Ann. Oper. Res.*, vol. 270, no. 1–2, pp. 287–312, 2018. doi: 10.1007/s10479-016-2393-z.
42. E. Ibrahim, M. A. Shouman, H. Torkey, and A. El-Sayed, "Handling missing and outliers values by enhanced algorithms for an accurate diabetic classification system," *Multimed. Tools Appl.*, vol. 80, no. 13, pp. 20125–20147, 2021. doi: 10.1007/s11042-021-10727-0.